

Dredging Floater



The hull of Dredging Floater is made from medium density polyethylene material with excellent flexibility, filled with high strength polyurethane foam inside. With reasonable structure and good performance, the Dredging Floater becomes the ideal substitution of the traditional steel floater for the floating dredging pipes.

Dredging Floater Features:

1. Good flexibility, excellent impact resistance, particularly suitable for constructions in open sea.
2. Light weight, easy to install and handle, lower costs for moving.
3. Higher corrosive resistance, longer working life, 3 times longer than steel floaters.
4. Lower costs, the cost performance is better than steel floaters.

Applications of Dredging Pipe Floater:

1. Used in dredging sand pipeline;
2. It can be used in dredger, dredging pipe etc. in the sea, lake or river.
3. Particular used in laying the pipes on the water used in dredger project.

Technical Specifications

Pipe OD(mm)	Floater ID(mm)	Floater OD(mm)	Floater Length (mm)	Wall Thickness(mm)	Net Buoyancy(kg)	Weight (kg)
50	60	300	500	7	80	10

159	220	500	800	7	200	16
205	220	500	800	7	200	16
219	220	500	800	7	200	16
273	300	700	1200	7	420	43
300	300	700	1200	7	420	43
325	375	1100	1100	7	920	72
350	375	1100	1100	7	920	72
400	414	1100	1200	8	1020	76
426	430	1200	1200	8	1200	93
450	480	1300	1300	8	1500	116
500	580	1400	1500	9	2219	170
536	580	1400	1500	9	2219	170
600	630	1400	1700	11	2400	182
630	630	1400	1700	11	2400	182
650	680	1480	1800	11.5	2930	210
700	730	1600	1900	12	3593	230
750	780	1600	2000	13	3800	245
800	830	1800	2000	14	4800	310
850	880	1800	2200	15	5140	380
900	940	2200	2500	16	8180	420



dredging floater with pipe



Chongqing Hi-Sea Marine Equipment Import&Export Co.,Ltd.

Address: 20-5,General Chamber of Commerce Building, No.2 Hongjin Street, Yubei District, Chongqing, China

Email: machine@hiseamarine.com mitang0708@foxmail.com **Skype:** cncqtang **QQ:** 2278612160

TEL: +86-23-67032301 **FAX:**+86-23-67955123 **Mobile:** +86-18108354610 **Post Code:**401147

Website: www.hiseamarine.com www.chinahisea.com